

Intrafix® Primeline Comfort

The advanced-option IV set



Meets the demands of complex infusion regimens while adding functions to streamline workflows

B | BRAUN
SHARING EXPERTISE

Meet today's challenges ...

Intrafix® Primeline Comfort – choices that enhance the overall function of IV administration

A selection of sets – with features beyond the standard – offer added effectiveness and comfort for both nurse and patient.

You can choose from a variety of add-ons that automate priming, make parallel pressure and gravity infusions safer, simplify injection and piggybacking procedures and many more.

Intrafix® Primeline Comfort set comes with longer tubing, optionally PVC- and DEHP-free, that gives nurses greater flexibility for handling patients, facilitates transport and allows the patient more freedom of movement.

Clear, strong ISO spike

Highly transparent dome design

Unique center ring

Elastic pump chamber


Large filter area

See-through tubing
180 cm in length



Screw-tight lock fitting

Handy roller clamp



... the most convenient way

Fluid Administration



Backcheck valve prevents backflow

More safety during parallel pressure and gravity infusions. No blood reflux.



Injection Site with handy grip plate

Ensures secure drug injection and piggybacking with its latex-free, resealable port.

PrimeStop automates priming and ends messy dripping

PrimeStop ensures that the line fills automatically. No more infusion fluid drips on hands, floor or bedding.

Now you can prepare several infusions at once, quicker and more hygienic than ever before.

PrimeStop maintains a closed system until connected to the patient.

User benefits

- Automatic, hygienic priming
- Backflow prevention
- Comfortable injection and piggybacking
- DEHP and PVC-free material
- Crack resistant application



DEHP-free Neutrapur® tubing

Particularly patient-friendly. No plasticizer leachables. Ecological disposal.



Drug resistant stopcock Discifix® C

Resists stress cracking to prevent air infusion and leakage.



Choose your best Intrafix® option

Fluid Administration

Intrafix®	Specification	Length of tubing	Code No. (REF)
SafeSet	Basic	180	4063000
	B.C.V. (with Back Check Valve)		4063001
	N.T.P. (with Neutrapur, PVC-free tubing)		4063002
	Ultrasite (with needlefree injection valve)		4062184
Primeline Comfort	Basic	180	4062981L
	PrimeStop		4062982L
	B.C.V. (with Back Check Valve)		4063287
	N.T.P. (with Neutrapur® PVC-free tubing)		4062191
	3-W.S.C. (with 3-Way Stopcock)		4062180
	I.S. (with Injection Site)	180	4062182
Primeline Classic	Basic	150	4062957

Sales unit / Pcs.: 100



B | BRAUN
SHARING EXPERTISE

B. Braun Melsungen AG

P.O.Box 1120
D-34209 Melsungen
Tel +49(0) 56 61 71-0

www.bbraun.com